



PRODUCT GUIDE **Structural Timbers**



Structural Timber



Un-treated
Carcassing Timber



Tanalised® Carcassing
Timber



Tanalised® Firrings



PRESSURE TREATED TIMBER

Available un-treated or treated.

SIZE AND DESCRIPTION (ALL NOMINAL SIZES)	GRADE QUALITY	LENGTH	PIECES PER BND	EPPING	LINGFIELD
25 x 50mm Sawn		3.0 & 3.6m	20	Y	Y
25 x 100mm Sawn		Hvy 4.8m		Y	Y
25 x 150mm Sawn		Hvy 4.8m		Y	Y
47 x 50mm Sawn	KD	3.0/3.6/4.8m		Y	Y
47 x 75mm Eased Edge (44 x 72)	KD Graded C16	2.4-4.8m		Y	Y
47 x 100mm Eased Edge (44 x 97)	KD Graded C16	2.4-4.8 & 6.0m		Y	Y
47 x 125mm Eased Edge (44 x 120)	KD Graded C16	3.6 & 4.8m		Y	Y
47 x 150mm Eased Edge (44 x 145)	KD Graded C16	3.0-4.8 & 6.0m		Y	Y
47 x 175mm Eased Edge (44 x 170)	KD Graded C16	3.0-4.8 & 6.0m		Y	Y
47 x 200mm Eased Edge (44 x 220)	KD Graded C16	3.0-4.8 & 6.0m		Y	Y
47 x 225mm Eased Edge (44 x 220)	KD Graded C16	3.6-4.8 & 6.0m		Y	Y
75 x 100mm Eased Edge (72 x 97)	KD Graded C16	4.8m		Y	N
75 x 225mm Eased Edge (72 x 220)	KD Graded C16	4.8 & 6.0m		Y	Y

Available as treated only.

SIZE AND DESCRIPTION (ALL NOMINAL SIZES)	GRADE QUALITY	LENGTH	PIECES PER BND	EPPING	LINGFIELD
19 x 38mm Sawn		LP 3.0m +	24	Y	Y
25 x 38mm Sawn		LP 4.2m +	20	Y	Y
25 x 75mm Sawn		Random		Y	Y
38 x 50mm Sawn		Random		Y	Y
75 x 75mm Sawn	KD	4.8m		Y	N
100 x 100mm Sawn	Ungraded	4.8m		Y	Y
32 x 175mm Sawn Featheredge		4.2 or 4.8m		Y	Y
50 x 50 - 0mm Firrings		3.0/3.6/4.2m	4	Y	Y
50 x 75 - 0mm Firrings		3.0/3.6/4.2m	4	Y	Y
50 x 100 - 0mm Firrings		3.6/4.2/4.8m	4	Y	Y
50 x 50mm Arris Rail		3.0m	4	Y	Y

LP - 1 or 2 lengths per pack

25mm nominal may be 25/22 recut 47mm

Engineered Structural Grade Timber (KVH)



KVH sizes




KVH manufacturing



KVH fingerjointing

On a 'to order' basis only we can also supply C24 graded structural whitewood in long lengths (up to 12m) and heavy sections. The material is machine stress graded, finger-jointed European whitewood that can also be supplied in a planed finish (ie 3mm less than the sizes shown in the table below). Price on application.

mm	80	100	120	140	160	180	200	220	240	260	280
40									✓		
60	✓	✓	✓	✓	✓	✓	✓	✓	✓		
80	✓	✓	✓	✓	✓	✓	✓	✓	✓		
100		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
120			✓	✓	✓	✓	✓	✓	✓	✓	✓
140				✓	✓	✓	✓	✓	✓	✓	✓
160					✓		✓		✓		✓



Further processing of KVH available

These products can also be supplied notched, drilled, shaped, morticed and tenoned.